

viccarbe

Vinyl, Velvet & Leather

VALENCIA VINYL



Pure white 9607




Silver 4020



Perle 4045



Petrol 5065



Night 2108

VALENCIA VINYL




Auster 4040



Lichtgrau 4052



Platin 4043




Graphite 4003



Schwarz 9035


VALENCIA VINYL




Pearlessence 8020




Laurel 4002



Moss 5002



Meteor 4041



Mocca 0020

VALENCIA VINYL



Sisal 1048




Leinen 1049



Taupe 0034



Mushroom 4001




Bronze 6002

VALENCIA VINYL




Weiss 8032




Ivory 1020



Gold 6020




Beige 1050



Cognac 0002


VALENCIA VINYL



Lotus 2113



Chestnut 2115



Buche 0033




Warm Grey 4044



Sumatra 9001


VALENCIA VINYL




Citrus 2109




Champagne 1001



Avocado 2110




Apfel 5041




Olive 5001


VALENCIA VINYL




Sonne 2020




Cashmere 2117



Rosé 2114




Terracotta 0035




Praliné 0001


VALENCIA VINYL




Squash 2111




Camel 2116



Naranja 6019



Nectarine 6003



Port 2062


VALENCIA VINYL




Safran 6012




Melone 6013



Tomato 2112



Rot 2075



Krische 2074

VALENCIA VINYL



Pink 2021

Berry 2002

Merlot 2001

Ultra Violet 2118

Amethyst 7001

VALENCIA VINYL



Skylight 2107


Titan 4042

Teal 2119

Marine 3068

Lavendel 3001

VALENCIA VINYL



Coral 2106


Jade 5056

Türkis 5057

Baltic 3069

Delft 3067

VALENCIA VINYL




Grün 5069

	Composition	Durability	Fire Test	Maintenance
G2 VALENCIA VINYL*	Vinyl / Urethane Topcoat	300.000 Martindale	EU: EN 1021 Part 1 & 2 ES: UNE 23.727-90 1R/M.2 FR: NF P 92-503/M2 DE: DIN 4102 B2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbares Verhalten AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 US: FMVSS 302 US: FAR 25/853	     


PERMABLOK³[®]
ADVANCED VINYL PROTECTION

***Protections**
A vinyl protective coating engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments: germs, abrasions and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.


SEVEN VELVET




Lilac 70




Dolphin 180



Grey 65




Plumb 168




Onyx 169


SEVEN VELVET




Ivory 101




Beige 05



Shitake 124



Liver 10



Darkbrown 18

SEVEN VELVET




Ocre 23




Cappuccino 11



Moss 59




Forest 162




Espresso 123

SEVEN VELVET




Blossom 166




Saffron 183



Scarlet 141




Wine red 39




Navy 49


SEVEN VELVET




Steel 149




Cinnamon 94



Denim 153




Anthracite 67




Nightshade 178


SEVEN VELVET




Sky 142




Petrol 56



Mint 50



Turquoise 44



Eucalyptus 193

	Composition	Durability	Fire Test	Maintenance
G2 SEVEN VELVET	100% PES	100.000 Martindale	EN ISO 12947 1 & 2 EN ISO 12945-2 EN ISO 13934-1 EN ISO 13937-3 EN ISO 13936 2 EN ISO 105 X12	

ANTICCUIR LEATHER



Leather 179




Leather 129



Leather 149



Leather 136



Leather 102


ANTICCUIR LEATHER



Leather 126



Leather 131



Leather 139



Leather 122



Leather 123

ANTICCUIR LEATHER



Leather 142




Leather 117



Leather 116




Leather 133



Leather 141


ANTICCUIR LEATHER




Leather 127




Leather 115



Leather 197




Leather 109




Leather 160


ANTICCUIR LEATHER



Leather 145



Leather 111



Leather 137



Leather 147



Leather 113

ANTICCUIR LEATHER




Leather 128




Leather 121



Leather 101




Leather 125




Leather 148

ANTICCUIR LEATHER



Leather 114



Leather 103

	Composition	Fire Test
G5 ANTICCCUIR LEATHER	Polyvalent leather with regular grain offering a great cutting yield, with an extensive colour range. European cow.	UNE EN 1021-1&2, IMO MSC.61(67) All our leathers meet the REACH regulation. Thickness 1,1-1,2mm.