

viccarbe

Crevin


CREVIN DUO




Duo 02




Duo 04



Duo 07




Duo 16




Duo 40


CREVIN DUO



Duo 50




Duo 21



Duo 52



Duo 53



Duo 54

CREVIN DUO



Duo 55

	Composition	Durability	Fire Test	Maintenance
G1 CREVIN DUO	48% Polipropylene, 33% Polyester, 19% Cotton	31.000 Martindale	BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117	    

CREVIN URUS



Urus 04




Urus 07



Urus 08



Urus 12




Urus 14

KVADRAT MESSENGER




Urus 42




Urus 49



Urus 51




Urus 53




Urus 55

	Composition	Durability	Fire Test	Maintenance
G1 CREVIN URUS	50% Polipropylene, 31% Polyester, 19% Cotton	32.500 Martindale	BS5852 Source 0 / EN1021-1:2006 (Cigarette test) CAL TB 117	     


CREVIN DAS




Das 02




Das 05



Das 07




Das 12




Das 42


CREVIN DAS




Das 47



Das 50



Das 51



Das 52



Das 55

CREVIN DAS



Das 95

	Composition	Durability	Fire Test	Maintenance
G1 CREVIN DAS	50%PP, 31%PES, 19%CO	36.000 Martindale	BS5852 source 0 / EN1021-1:2006 BS5852 source 1 / EN1021-2:2006 (don't pass) CAL TB 117	    


CREVIN GAUDI



Gaudi 02




Gaudi 05



Gaudi 10




Gaudi 11




Gaudi 12


CREVIN GAUDI




Gaudi 42




Gaudi 29



Gaudi 30




Gaudi 43




Gaudi 45


CREVIN GAUDI




Gaudi 46




Gaudi 48



Gaudi 51



Gaudi 52



Gaudi 53

CREVIN GAUDI



Gaudi 60

	Composition	Durability	Fire Test	Maintenance
G2 CREVIN GAUDI	60% Polypropylene, 35% Polyester, 5% Cotton	46.000 Martindale	BS5852 source 0 EN1021-1:2006 CAL TB 117	    


CREVIN MATISS




Matiss 05



Matiss 07



Matiss 08



Matiss 10




Matiss 12


CREVIN MATISS




Matiss 16




Matiss 22



Matiss 30




Matiss 31



Matiss 37


CREVIN MATISS




Matiss 39



Matiss 45



Matiss 49




Matiss 52




Matiss 53


CREVIN MATISS




Matiss 54



Matiss 60



Matiss 61



Matiss 64



Matiss 95

	Composition	Durability	Fire Test	Maintenance
G2 CREVIN MATISS	55%PES, 20%CV, 15%CO, 10%LI	35.000 Martindale	BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117	    

CREVIN BLEND



Blend 02




Blend 07



Blend 10




Blend 11




Blend 12


CREVIN BLEND



Blend 30




Blend 49



Blend 51



Blend 52



Blend 53

	Composition	Durability	Fire Test	Maintenance
G2 CREVIN BLEND	53%PES, 30%PP, 17%CO	60.000 Martindale	BS5852 Source 0 BS5852 Source 1 (upon request) EN1021-Part 1:2006 EN1021-Part 2:2006 (upon request) CAL TB 117:2013 NFPA 260:2013 BS 7176 Low Hazard (upon request) UNI 9175 Clase 3IM (upon request)	     


CREVIN DIVINE



Divine 02



Divine 05



Divine 07




Divine 12




Divine 15


CREVIN DIVINE




Divine 39




Divine 40



Divine 45



Divine 49




Divine 50


CREVIN DIVINE



Divine 51




Divine 52



Divine 53



Divine 59




Divine 61

CREVIN DIVINE



Divine 70



Divine 95

	Composition	Durability	Fire Test	Maintenance
G2 CREVIN DIVINE	49%PP, 47%PES, 4%CO	60.000 Martindale	BS5852 Source 0 BS5852 Source 1(upon request) EN1021-Part 1:2006 EN1021-Part 2:2006 (upon request) CAL TB 117:2013 NFPA 260:2013 BS 7176 Low Hazard (upon request) UNI 9175 Clase 3IM (upon request)	    

CREVIN GLOW



Glow 04




Glow 05



Glow 11




Glow 45




Glow 50


CREVIN GLOW




Glow 51



Glow 52




Glow 53




Glow 54

	Composition	Durability	Fire Test	Maintenance
G2 CREVIN GLOW	79%PES, 17%PP, 4%CO	60.000 Martindale	BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117	     

CREVIN TENZO




Tenzo 03




Tenzo 04



Tenzo 05




Tenzo 07




Tenzo 08


CREVIN TENZO




Tenzo 10




Tenzo 11



Tenzo 49



Tenzo 51



Tenzo 53

CREVIN TENZO




Tenzo 70

	Composition	Durability	Fire Test	Maintenance
G3 CREVIN TENZO	45% Cotton, 30% Viscose, 25% Polyester	25.000 Martindale	BS5852 source 0 / EN1021-1:2006 BS5852 source 1 / EN1021-2:2006 CAL TB 117	      

CREVIN BORA BORA




Bora Bora 05




Bora Bora 07



Bora Bora 08



Bora Bora 11




Bora Bora 42


CREVIN BORA BORA



Bora Bora 47




Bora Bora 50



Bora Bora 51




Bora Bora 53



Bora Bora 54

CREVIN TENZO



Bora Bora 59




Bora Bora 99

	Composition	Durability	Fire Test	Maintenance
G3 CREVIN BORA BORA	82% Polypropylene, 18% Polyester	100.000 Martindale	EN 1021-1:2006 // BS5852 source 0 / CAL TB117 / NFPA 260 EN 1021-2:2006 // BS5852 source 1 IMO MSC(67) – ANEX I PART 8 – RESOLUTION A.652 (16):1989	     

CREVIN ARC




Arc 05




Arc 07



Arc 11




Arc 24




Arc 36


CREVIN ARC




Arc 41




Arc 45



Arc 51




Arc 53




Arc 54


CREVIN ARC




Arc 60




Arc 80



Arc 91




Arc 122




Arc 125

	Composition	Durability	Fire Test	Maintenance
G3 CREVIN ARC	62%WO, 38%PP	50.000 Martindale	BS5852 0/1 EN 1021 1/2 BS7176 Low hazard CAL TB117:sect 1 2013 NFPA 260:2013 IMO Annex 1 Part 8 UNI 9175 Clase 3IM	      


CREVIN FUSION




Fusion 05




Fusion 07



Fusion 08




Fusion 11




Fusion 20


CREVIN FUSION




Fusion 24




Fusion 36



Fusion 40



Fusion 41




Fusion 42


CREVIN FUSION




Fusion 43




Fusion 45



Fusion 51




Fusion 53




Fusion 54


CREVIN FUSION




Fusion 60




Fusion 91



Fusion 95




Fusion 80




Fusion 122


CREVIN FUSION




Fusion 125




Fusion 126



Fusion 138




Fusion 139




Fusion 143


CREVIN FUSION




Fusion 149




Fusion 155



Fusion 159



Fusion 171



Fusion 13

	Composition	Durability	Fire Test	Maintenance
G3 CREVIN FUSION	34%WO, 28%PES, 23%PP, 15%CO. Cara superior: 60%WO, 40%PP	60.000 Martindale	BS5852 0/1 EN 1021 1/2 BS7176 Low hazard CAL TB117:sect 1 2013 NFPA 260:2013 IMO Annex 1 Part 8 UNI 9175 Clase 3IM	     