


viccarbe

Vynil & Leather

VALENCIA VINYL



Pure white 9607



Silver 4020



Perle 4045



Petrol 5065



Night 2108




Auster 4040




Lichtgrau 4052



Platin 4043




Graphite 4003



Schwarz 9035



Pearlessence 8020



Laurel 4002




Moss 5002



Meteor 4041



Mocca 0020



Sisal 1048




Leinen 1049



Taupe 0034



Mushroom 4001



Bronze 6002




Weiss 8032




Ivory 1020



Gold 6020




Beige 1050




Cognac 0002


VALENCIA VINYL




Lotus 2113




Chestnut 2115




Buche 0033



Warm Grey 4044




Sumatra 9001




Citrus 2109



Champagne 1001



Avocado 2110




Apfel 5041



Olive 5001



Sonne 2020




Cashmere 2117




Rosé 2114




Terracotta 0035




Praliné 0001




Squash 2111




Camel 2116




Naranja 6019



Nectarine 6003




Port 2062




Safran 6012




Melone 6013



Tomato 2112




Rot 2075



Krische 2074


VALENCIA VINYL



Pink 2021



Berry 2002



Merlot 2001




Ultra Violet 2118




Amethyst 7001




Skylight 2107



Titan 4042




Teal 2119




Marine 3068




Lavendel 3001




Coral 2106




Jade 5056




Türkis 5057



Baltic 3069



Delft 3067



Grün 5069

	Composition	Durability	Fire Test	Maintenance
G1 VALENCIA VYNIL*	Vinyl / Urethane Topcoat	300.000 Martindale	EU: EN 1021 Part 1 & 2 ES: UNE 23.727-90 1R/M.2 FR: NF P 92-503/M2 DE: DIN 4102 B2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbares Verhalten AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 US: FMVSS 302 US: FAR 25/853	    

PERMABLOK³[®]
ADVANCED VINYL PROTECTION

***Protections**

A vinyl protective coating engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments: germs, abrasions and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.

ANTIC CUIR LEATHER SERIE 100



Leather 179



Leather 129



Leather 149



Leather 136




Leather 102



Leather 126



Leather 131



Leather 139



Leather 122




Leather 123



Leather 142



Leather 117



Leather 116



Leather 133




Leather 141




Leather 127




Leather 115



Leather 197




Leather 109




Leather 160



Leather 145



Leather 111



Leather 137



Leather 147



Leather 113

ANTIC CUIR LEATHER SERIE 100




Leather 128



Leather 121




Leather 101




Leather 125



Leather 148



Leather 114



Leather 103

	Composition	Fire Test
G5 ANTIC CUIR LEATHER*	Polyvalent leather with regular grain offering a great cutting yield, with an extensive colour range. European cow.	UNE EN 1021-1&2 California Technical Bulletin 117-2013 IMO MSC.307 (88) Annex 1 Part 8 Regulation n°118/2 for use in certain categories of motor vehicles All our leathers meet the REACH regulation. Thickness 1,1-1,2mm.

** Leather is a natural product so any variations in grain, shade and veining should not be considered a defect, but inherent of the natural beauty and uniqueness of this material.*