


viccarbe

Kvadrat


KVADRAT REMIX 3



Remix 3 113



Remix 3 123



Remix 3 126



Remix 3 133



Remix 3 136



Remix 3 143


Remix 3 152



Remix 3 163


Remix 3 173



Remix 3 183



Remix 3 196



Remix 3 223



Remix 3 233



Remix 3 242


Remix 3 252



Remix 3 266



Remix 3 276



Remix 3 286



Remix 3 296



Remix 3 326


Remix 3 346



Remix 3 356



Remix 3 362



Remix 3 373



Remix 3 383


KVADRAT REMIX 3



Remix 3 393



Remix 3 406



Remix 3 412



Remix 3 422



Remix 3 433



Remix 3 443



Remix 3 452



Remix 3 516



Remix 3 536



Remix 3 543



Remix 3 566



Remix 3 606



Remix 3 612



Remix 3 632



Remix 3 643



Remix 3 653


Remix 3 662



Remix 3 672


Remix 3 682



Remix 3 686


Remix 3 692



Remix 3 716



Remix 3 722



Remix 3 733



Remix 3 743


KVADRAT REMIX 3



Remix 3 753



Remix 3 762



Remix 3 773



Remix 3 783



Remix 3 796



Remix 3 816



Remix 3 823



Remix 3 836



Remix 3 842



Remix 3 852


Remix 3 866



Remix 3 873



Remix 3 906



Remix 3 912



Remix 3 923



Remix 3 933



Remix 3 942


Remix 3 954


Remix 3 962



Remix 3 973



Remix 3 982



Remix 3 996


	Composition	Durability	Fire Test	Maintenance
G2 KVADRAT REMIX 3	90% New wool (worsted), 10% Nylon	100.000 Martindale	BS 5852 crib 5 with treatment | BS 5852 part 1 | IMO FTP Code 2010 Part 7 with treatment | IMO FTP Code 2010 Part 8 | NF D 60 013 NFPA 260 | SN 198 898 5.3 with treatment | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | AS/NZS 3837 class 2 | ÖNORM B1/Q1 | ASTM E84 Class A Unadhered | ASTM E84 Class A Adhered EN 13501 B-s2, d0 with treatment | GB 50222 B1 with treatment (Chinese) | AS/NZS 1530.3	


KVADRAT FIELD 2



Field 2 132



Field 2 142



Field 2 192



Field 2 182



Field 2 793



Field 2 222



Field 2 233



Field 2 242



Field 2 343



Field 2 373



Field 2 943



Field 2 173



Field 2 983



Field 2 463



Field 2 443



Field 2 662



Field 2 673



Field 2 643



Field 2 623



Field 2 663


Field 2 723



Field 2 843


Field 2 733



Field 2 763


Field 2 782


KVADRAT FIELD 2




Field 2 123




Field 2 933



Field 2 963



Field 2 773



Field 2 693


	Composition	Durability	Fire Test	Maintenance
G3 KVADRAT FIELD 2*	100% Trevira cs	80.000 Martindale	BS 5852 Crib 5 | FAR 25.853 | IMO FTP Code 2010 Part 8 | NF D 60 013 | NF P 92 507 M1 | SN 198 898 5.2 | UNI 9175 1IM | UNI 9177 Classe 1 | US Cal. Bull. 117-2013 | DIN 4102 B1 | EN 1021-1/2 | NFPA 701 | ASTM E84 Class A Unadhered | AS/NZS 3837 class 1 | ÖNORM B1/Q1 | EN 13501-1, B-s1, d0 | CAN ULC S109 | CAN ULC S102 | GB 8624 B1	

** The collection is unavailable in USA*

KVADRAT MAPLE



Maple 102


Maple 112


Maple 136


Maple 142


Maple 162



Maple 172


Maple 192


Maple 202



Maple 212


Maple 222



Maple 232



Maple 332



Maple 342



Maple 352



Maple 362


Maple 392



Maple 542



Maple 562


Maple 662


Maple 722


Maple 732



Maple 742


Maple 762


Maple 792


Maple 832

KVADRAT MAPLE




Maple 862

	Composition	Durability	Fire Test	Maintenance
G3 KVADRAT MAPLE	81% viscose, 15% linen, 4% polyester	30.000 Martindale	AS/NZS 1530.3|BS 5852 crib 5 with treatment|BS 5852 part 1|IMO FTP Code 2010 Part 8|NFPA 260|EN 1021-1/2|US Cal. Bull. 117-2013 |AS/NZS 3837 class 2|ASTM E84 Class B Unadhered	

KVADRAT CANVAS 2


Canvas 2 114


Canvas 2 124



Canvas 2 134


Canvas 2 154


Canvas 2 174



Canvas 2 216



Canvas 2 224



Canvas 2 244



Canvas 2 254


Canvas 2 264



Canvas 2 356


Canvas 2 364


Canvas 2 374



Canvas 2 414



Canvas 2 424



Canvas 2 446



Canvas 2 454


Canvas 2 546



Canvas 2 556



Canvas 2 566


Canvas 2 576



Canvas 2 614



Canvas 2 644



Canvas 2 654


Canvas 2 666


KVADRAT CANVAS 2



Canvas 2 674



Canvas 2 684



Canvas 2 694



Canvas 2 716


Canvas 2 726



Canvas 2 734



Canvas 2 746



Canvas 2 764



Canvas 2 786


Canvas 2 794


Canvas 2 836


Canvas 2 854



Canvas 2 926



Canvas 2 936



Canvas 2 946


Canvas 2 954


Canvas 2 964


Canvas 2 974



Canvas 2 984



Canvas 2 996


	Composition	Durability	Fire Test	Maintenance
G3 KVADRAT CANVAS 2*	90% New wool (worsted), 10% Nylon	100.000 Martindale	AS/NZS 1530.3 | BS 5852 crib 5 with treatment | BS 5852 part 1 | IMO FTP Code 2010 Part 8 | NF D 60 013 | NFPA 260 | SN 198 898 5.3 with treatment | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | ÖNORM B1/Q1 | ASTM E84 Class A Adhered | ASTM E84 Class A Unadhered | EN 13501 B-s2, d0 with treatment	

** Please note that CANVAS upholstery is not suitable for the following products: Maarten chair & stool smooth / Maarten armchair smooth / Klip chair & stool smooth and Wrapp smooth.*

KVADRAT MELANGE NAP


Melange Nap 111


Melange Nap 171



Melange Nap 191


Melange Nap 211


Melange Nap 221


Melange Nap 241



Melange Nap 271


Melange Nap 321


Melange Nap 351



Melange Nap 371



Melange Nap 411



Melange Nap 441


Melange Nap 461



Melange Nap 491



Melange Nap 521



Melange Nap 551



Melange Nap 651



Melange Nap 691


Melange Nap 711



Melange Nap 751


Melange Nap 771



Melange Nap 791


Melange Nap 871


Melange Nap 911


Melange Nap 951


KVADRAT MELANGE NAP




Melange Nap 991

	Composition	Durability	Fire Test	Maintenance
G3 KVADRAT MELANGE NAP	97% new wool worsted, 3% nylon	60.000 Martindale	BS 5852 crib 5 with treatment | BS 5852 part 1 | IMO FTP Code 2010 Part 8 | NF D 60 013 | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | ASTM E84 Class B Adhered | ASTM E84 Class A Unadhered | AS/NZS 3837 class 2 | SN 198 898 5.3 with treatment	


KVADRAT HERO 2


Hero 2 102


Hero 2 152


Hero 2 162



Hero 2 182


Hero 2 202



Hero 2 192


Hero 2 212



Hero 2 242


Hero 2 312



Hero 2 352



Hero 2 372



Hero 2 392



Hero 2 422



Hero 2 432



Hero 2 512



Hero 2 542



Hero 2 552



Hero 2 582



Hero 2 622



Hero 2 652


Hero 2 662



Hero 2 672


Hero 2 732



Hero 2 742


Hero 2 752


KVADRAT HERO 2




Hero 2 772




Hero 2 782




Hero 2 862




Hero 2 882




Hero 2 912



Hero 2 932



Hero 2 942





Hero 2 962

	Composition	Durability	Fire Test	Maintenance
G4 KVADRAT HERO 2	97% new wool 3% recycled nylon	45.000 Martindale	US Cal. Bull. 117-2013 | IMO FTP Code 2010 Part 8 | EN 1021-1/2 | BS 5852 part 1 | AS/NZS 3837 class 2 | ASTM E84 Class A Adhered | ASTM E84 Class A Unadhered | UNI 9175 1IM | SN 198 898 5.3 with treatment | NF D 60 013 | BS 5852 crib 5 with treatment	


KVADRAT SAVANNA


Savanna 122


Savanna 152



Savanna 192



Savanna 202



Savanna 222



Savanna 242



Savanna 262


Savanna 292


Savanna 442


Savanna 622



Savanna 672



Savanna 952


	Composition	Durability	Fire Test	Maintenance
G4 KVADRAT SAVANNA	34% polyester 31% new wool 26% polyacrylic 4% cotton 3% nylon 2% linen	45.000 Martindale	BS 5852 crib 5 with treatment | NF D 60 013 with treatment | SN 198 898 5.3 with treatment | UNI 9175 1IM with treatment | US Cal. Bull. 117-2013 | EN 1021-1/2 | AS/NZS 3837 class 2 | BS 5852 part 1 with treatment | IMO FTP Code 2010:Part 8 with treatment	


KVADRAT FIORD 2



Fiord 2 101



Fiord 2 121



Fiord 2 151


Fiord 2 171


Fiord 2 191



Fiord 2 201



Fiord 2 251



Fiord 2 262



Fiord 2 271


Fiord 2 322



Fiord 2 351



Fiord 2 371



Fiord 2 382



Fiord 2 391



Fiord 2 422



Fiord 2 442



Fiord 2 451



Fiord 2 521



Fiord 2 551



Fiord 2 562


Fiord 2 571



Fiord 2 581



Fiord 2 591



Fiord 2 642



Fiord 2 662


KVADRAT FIORD 2



Fiord 2 672



Fiord 2 721



Fiord 2 751



Fiord 2 762



Fiord 2 771



Fiord 2 782



Fiord 2 791



Fiord 2 821



Fiord 2 862


Fiord 2 951


Fiord 2 961



Fiord 2 971



Fiord 2 981



Fiord 2 991


	Composition	Durability	Fire Test	Maintenance
G4 KVADRAT FIORD 2	92% new wool, worsted 8% nylon	60.000 Martindale	BS 5852 crib 5 with treatment | BS 5852 part 1 | IMO FTP Code 2010 Part 8 | NF D 60 013 | NFPA 260 | SN 198 898 5.3 with treatment | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | ASTM E84 Class A Adhered | ASTM E84 Class A Unadhered | AS/NZS 3837 class 2 | ÖNORM B1/Q1 | EN 13501 B-s2, d0 with treatment | NFPA 701 with treatment	


KVADRAT STEELCUT TRIO 3



Steelcut Trio 3 105



Steelcut Trio 3 113



Steelcut Trio 3 124



Steelcut Trio 3 133



Steelcut Trio 3 153



Steelcut Trio 3 176



Steelcut Trio 3 195



Steelcut Trio 3 205



Steelcut Trio 3 213



Steelcut Trio 3 226



Steelcut Trio 3 236



Steelcut Trio 3 246



Steelcut Trio 3 253



Steelcut Trio 3 266



Steelcut Trio 3 276



Steelcut Trio 3 283



Steelcut Trio 3 336



Steelcut Trio 3 376



Steelcut Trio 3 383



Steelcut Trio 3 416


Steelcut Trio 3 426



Steelcut Trio 3 436



Steelcut Trio 3 446



Steelcut Trio 3 453



Steelcut Trio 3 466


KVADRAT STEELCUT TRIO 3



Steelcut Trio 3 476



Steelcut Trio 3 506



Steelcut Trio 3 515



Steelcut Trio 3 526



Steelcut Trio 3 533



Steelcut Trio 3 553



Steelcut Trio 3 576



Steelcut Trio 3 616



Steelcut Trio 3 636



Steelcut Trio 3 645



Steelcut Trio 3 666



Steelcut Trio 3 686



Steelcut Trio 3 713



Steelcut Trio 3 716



Steelcut Trio 3 746



Steelcut Trio 3 756



Steelcut Trio 3 776



Steelcut Trio 3 796



Steelcut Trio 3 806



Steelcut Trio 3 865


Steelcut Trio 3 883



Steelcut Trio 3 906


Steelcut Trio 3 916



Steelcut Trio 3 946


Steelcut Trio 3 953


KVADRAT STEELCUT TRIO 3




Steelcut Trio 3 966



Steelcut Trio 3 976



Steelcut Trio 3 983




Steelcut Trio 3 996


	Composition	Durability	Fire Test	Maintenance
G4 KVADRAT STEELCUT TRIO 3	90% New wool (worsted), 10% Nylon	100.000 Martindale	AS/NZS 1530.3 | BS 5852 crib 5 with treatment | BS 5852 part 1 | IMO FTP Code 2010 Part 8 | NF D 60 013 | NFPA 260 | SN 198 898 5.3 with treatment | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | ASTM E84 Class B Unadhered | ASTM E84 Class B Adhered | ÖNORM B1/Q1 | AS/NZS 3837 class 2	


KVADRAT HALLINGDAL 65



Hallingdal 65 100



Hallingdal 65 103



Hallingdal 65 110


Hallingdal 65 123


Hallingdal 65 130


Hallingdal 65 126


Hallingdal 65 166


Hallingdal 65 368


Hallingdal 65 180


Hallingdal 65 190



Hallingdal 65 200



Hallingdal 65 113


Hallingdal 65 143


Hallingdal 65 173



Hallingdal 65 376


Hallingdal 65 116


Hallingdal 65 153


Hallingdal 65 220



Hallingdal 65 224



Hallingdal 65 227


Hallingdal 65 270



Hallingdal 65 390


Hallingdal 65 350



Hallingdal 65 370



Hallingdal 65 968

KVADRAT HALLINGDAL 65



Hallingdal 65 407


Hallingdal 65 457


Hallingdal 65 420



Hallingdal 65 526



Hallingdal 65 907



Hallingdal 65 980



Hallingdal 65 944



Hallingdal 65 960


Hallingdal 65 660


Hallingdal 65 890



Hallingdal 65 547


Hallingdal 65 590


Hallingdal 65 600



Hallingdal 65 687



Hallingdal 65 694


Hallingdal 65 680


Hallingdal 65 674



Hallingdal 65 657



Hallingdal 65 596


Hallingdal 65 563


Hallingdal 65 573


Hallingdal 65 702


Hallingdal 65 763



Hallingdal 65 773


Hallingdal 65 764

KVADRAT HALLINGDAL 65



Hallingdal 65 723




Hallingdal 65 733




Hallingdal 65 750




Hallingdal 65 753




Hallingdal 65 754



Hallingdal 65 850



Hallingdal 65 840





Hallingdal 65 810


	Composition	Durability	Fire Test	Maintenance
G5 KVADRAT HALLINGDAL 65	70% New wool, 30% Viscose	100.000 Martindale	AS/NZS 1530.3 | BS 5852 Crib 5 | BS 5852 part 1 | IMO FTP Code 2010 Part 8 | NF D 60 013 | NFPA 260 | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | SN 198 898 5.2 with treatment | AS/NZS 3837 class 2 | ÖNORM B1/Q1 | ASTM E84 Class A Adhered | ASTM E84 Class B Unadhered	


KVADRAT DIVINA MELANGE 3


Divina Melange 3 120


Divina Melange 3 147


Divina Melange 3 170


Divina Melange 3 180


Divina Melange 3 687


Divina Melange 3 237


Divina Melange 3 260



Divina Melange 3 227


Divina Melange 3 277


Divina Melange 3 280


Divina Melange 3 517


Divina Melange 3 367


Divina Melange 3 677


Divina Melange 3 581



Divina Melange 3 597


Divina Melange 3 427


Divina Melange 3 457


Divina Melange 3 527


Divina Melange 3 547



Divina Melange 3 571


Divina Melange 3 557



Divina Melange 3 567



Divina Melange 3 617



Divina Melange 3 620


Divina Melange 3 647

KVADRAT DIVINA MELANGE 3



Divina Melange 3 747


Divina Melange 3 787


Divina Melange 3 731



Divina Melange 3 777



Divina Melange 3 757


Divina Melange 3 917


Divina Melange 3 821


Divina Melange 3 871


Divina Melange 3 467


Divina Melange 3 471


Divina Melange 3 937


Divina Melange 3 967


Divina Melange 3 977

	Composition	Durability	Fire Test	Maintenance
G5 KVADRAT DIVINA MELANGE 3	100% New wool	45.000 Martindale	AS/NZS 1530.3 | BS 5852 part 1 | BS 5867 part 2 type B | IMO FTP Code 2010 Part 8 | NF D 60 013 | NFPA 260 | SN 198 898 5.3 with treatment | UNI 9175 1IM | US Cal. Bull. 117-2013 | EN 1021-1/2 | ÖNORM B1/Q1 | NFPA 701 with treatment | ASTM E84 Class B Unadhered | ASTM E84 Class A Adhered | CAN ULC S109 with treatment | EN 13501 B-s2, d0 with treatment	

KVADRAT DIVINA MD


Divina MD 203


Divina MD 213


Divina MD 343



Divina MD 353


Divina MD 293


Divina MD 413


Divina MD 453


Divina MD 363


Divina MD 433


Divina MD 193


Divina MD 613


Divina MD 633


Divina MD 653


Divina MD 673


Divina MD 683


Divina MD 713


Divina MD 733


Divina MD 743


Divina MD 753


Divina MD 773


Divina MD 813


Divina MD 843


Divina MD 873


Divina MD 973


Divina MD 783

KVADRAT DIVINA MD



Divina MD 913



Divina MD 943

	Composition	Durability	Fire Test	Maintenance
G5 KVADRAT DIVINA MD	100% New wool	45.000 Martindale	AS/NZS 1530.3 | ASTM E84 Class A Adhered | ASTM E84 Class B Unadhered | BS 5852 part 1 | BS 5867 part 2 type B | CAN ULC S109 with treatment | EN 1021-1/2 | EN 13501 B-s2, d0 with treatment | IMO FTP Code 2010 Part 8 | JIS L 1091 A-1 D | NF D 60 013 | NFPA 260 | NFPA 701 with treatment | ÖNORM B1/Q1 | SN 198 898 5.3 with treatment | UNI 9175 1IM | US Cal. Bull. 117-2013 | BS 5852 crib 5 with treatment	